



"The quick uptake of Rayora[®] means it gets into the plant and starts working. This helps Rayora[®] provide both preventative and curative control of dollar spot."

Jim Kerns, Ph.D.
NC State University

21-DAY CONTROL OF DOLLAR SPOT IS JUST THE BEGINNING

Rayora[®] Fungicide contains flutriafol, a breakthrough active ingredient from FMC that now provides proven 21-day control of Dollar Spot. And it doesn't stop there with Dollar Spot - flutriafol also demonstrates curative activity and even works on certain insensitive strains. This next generation DMI fungicide also shows great control beyond Dollar Spot on Gray Leaf Spot, Spring Dead Spot, and other troublesome diseases.

THE NEXT GENERATION OF DMI HAS ARRIVED

Rayora[®] is faster too - it's absorbed via roots and shoots and is translocated through the xylem quicker than any active ingredient in its class, giving complete protection throughout the plant. With both flexibility and proven turf safety, Rayora[®] Fungicide redefines what it means to be strong, yet safe on turf... for longer.

PRODUCT ATTRIBUTES:

- 21-Day preventative control of Dollar Spot in fairways
- Fastest uptake and translocation in its class
- Best-in-class uptake gives flexibility with irrigation, active protection of the sprayed leaf, and movement to new growth
- Rainfast within 2 hours
- Proven turf safety

DISEASES CONTROLLED:

- Dollar Spot (preventative and curative)
- Gray Leaf Spot
- Spring Dead Spot

Rayora[®] is also labeled for control of numerous diseases commonly found in turf



LABELED USE SITES:

- Golf Courses
- Commercial Sites
- Industrial Lawns

THE POWER OF FLUTRIAFOL

As shown in the chart below, Rayora® is far and away the fastest into the plant. No other comparable product gets into the turf faster than flutriafol, the active ingredient in Rayora®.

Systemicity and Persistence Matrix





Data collected from the University of Hertfordshire Pesticide Properties Database and calculated the TSCF using the Briggs, Bromilow and Evans equation Pesticide Science, 1982, Vol. 13 pages 495-504.

21-DAY CONTROL OF DOLLAR SPOT ON FAIRWAYS

“Rayora® gave excellent control of Dollar Spot on a 21-day interval while demonstrating excellent movement from the roots to the foliage.”

J.M. Vargas Jr., Ph.D.
Michigan State University

21-Day Preventative Dollar Spot Control



Nancy Dykema and Joe Vargas, Ph.D., Michigan State University
Initial Application June 4, 2020
Creeping Bentgrass
Treatments applied on 21-day intervals; 6 applications
*Applied at 96 GPA

Mr. Todd Hicks, The Ohio State University
Initial Application June 8, 2020
Creeping Bentgrass 'Penncross'
Treatments applied on 21-day intervals


| Irrigation Regime |
|--|
| 0.1 in of irrigation watering in Rayora® |
| 0.25 in of irrigation watering in Rayora® |
| No irrigation |
| ► Watering-in occurred immediately after application |

Flexibility in application interval demonstrates Dollar Spot control at the 1.4 fl. oz./1000 sq. ft. rate of Rayora® Fungicide, regardless of irrigation. This is due to flutriafol's uniquely fast uptake into the plant's roots and shoots.


DOLLAR SPOT CONTROL - EFFICACY ON CERTAIN INSENSITIVE STRAINS AND CURATIVE PERFORMANCE

Superintendents can be confident that the inside-out protection and curative activity Rayora® Fungicide offers will lessen the impact of Dollar Spot. Protection from foliar disease is provided to mature and newly developed leaf material.

Preventative Dollar Spot Trial with Certain Insensitive Strains




J. Inguagiato, Ph.D., Univ. of Connecticut
 Initial applications made May 14, 2019
 Creeping Bentgrass Fairway; 21 Day Interval
 Confirmed DMI-Insensitive Location




The control plot at a Philadelphia course (left) shows signs of Dollar Spot, while a plot treated with Rayora® (right), two weeks after application, is clear of the disease.

Curative Dollar Spot Control






J. Kerns, Ph.D.; North Carolina State University
 Initial applications made May 10, 2019
 'Crenshaw' Creeping Bentgrass Fairway; 14 Day Interval
 Suspected SDHI-Insensitive strain

Preventative Gray Leaf Spot Control




B. Clarke, Ph.D., Rutgers University
Initial applications made July 17, 2019
Perennial Ryegrass Rough
14 Day Interval - 4 applications


Field Plots from the Virginia Tech Trial

-  Rayora® Fungicide (1.4 fl. oz./ 1000 sq. ft.)
-  Maxtima® Fungicide (0.8 fl. oz./ 1000 sq. ft.)
-  Untreated Control

VA Tech April 14, 2021



Spring Dead Spot Control



David McCall, PhD., Virginia Tech
Applications made September 22, 2020
Hybrid Bermudagrass Tee Box

Always read and follow all label directions, restrictions and precautions for use. Not for use on residential turf. Some products may not be registered or sale or use in all states. Rayora fungicide may not be registered for sale or use in all states. Contact your local FMC representative or retailer for details and availability in your state. Maxtima, Navicon and Xzempler are trademarks of BASF Corporation. Briskway, Banner Maxx, Daconil, Headway and Posterity are trademarks of a Syngenta Group Company. Torque is a trademark of Cleary Chemical, LLC. Tourney is a trademark of Valent USA, LLC. FMC, the FMC logo, True Champions, and Rayora are trademarks or service marks of FMC Corporation or an affiliate. ©2022 FMC Corporation. All rights reserved.

RAYORA[®]
FUNGICIDE

FMC
TRUE CHAMPIONS
FMC